

ASCAT DAILY Report

Metop-A

OPE

DAY 2019_342

20191208000000 - 20191208235959

DATA STATISTICS

BASED ON ORBITS (#15)

68154 68155 68156 68157 68158 68159 68160 68161 68162 68163 68164 68165 68166
68167 68168 68169

DB STATISTICS : OPE M02_20191208

SMO 478	1.30	.46	.70	3.57
SMR 478	3.37	.97	2.04	7.92
SZF 478	.40	1.85	.07	32.63
xxx 477	9.04	3.93	2.23	29.38

INGATE (STORE) STATISTICS : OPE M02_20191208

xxx_1A	/fbf/tcdras/store/gs1/ASCA_xxx_1A_M02	-- number of files (xxx_1A) : 478
SZ0_1B	/fbf/tcdras/store/gs1/ASCA_SZ0_1B_M02	-- number of files (SZ0_1B) : 478
SZR_1B	/fbf/tcdras/store/gs1/ASCA_SZR_1B_M02	-- number of files (SZR_1B) : 478
SZF_1B	/fbf/tcdras/store/gs1/ASCA_SZF_1B_M02	-- number of files (SZF_1B) : 478
SMO_02	/fbf/tcdras/store/gs1/ASCA_SMO_02_M02	-- number of files (SMO_02) : 478
SMR_02	/fbf/tcdras/store/gs1/ASCA_SMR_02_M02	-- number of files (SMR_02) : 478







Overview

Configuration and SPHR content

Parameter	Value
SENSING START-STOP	20191208000000 - 20191208235959
ORBIT START-STOP	-
SATELLITE	M02
SW - DPU Version	3.9 (57)
SW - ICU Version	2.03 (35)
PARAM - Drive Level ID	0 (Nominal drive level as defined in the active DPU Data Set)
PARAM - DPU Data Set ID	4
PARAM - Revision ID	0
INST - Table Set ID	0 (no calibration, nominal table set used)
INST - Redundancy Config	127
	nominal ICU
	nominal DPU
	nominal RFU
	nominal HPA
	nominal SFE
	nominal SFE LNA
	nominal signal path (from HPA_B)
N_L1A_MDR	604177
N_L1A_MDR_B0	100697
N_L1A_MDR_B1	100696
N_L1A_MDR_B2	100696
N_L1A_MDR_B3	100696
N_L1A_MDR_B4	100696
N_L1A_MDR_B5	100696
N_GAPS	36
TOTAL_GAPS_SIZE	12642952
N_HKTM_PACKETS_RECEIVED	16059
N_F_NOISE	0
N_F_PG	0
N_V_PG	0
N_F_FILTER	0
N_V_FILTER	0
N_F_PGP	0
N_F_NP	0
N_F_ORBIT	0
N_F_ATTITUDE	0
N_F_OMEGA	0
N_F_MAN	0
N_F_OSV	0
N_F_E_TEL_PRES	0
N_F_E_TEL_IR	0
N_F_CE	0
N_V_CE	0
N_F_OA	0
N_F_TEL	0
N_F_REF	0
N_F_SA	1054757
N_F_LAND	48309165
N_F_GEO	3251105
N_F_SIGN	0
N_L1B_MDR	0
N_EMPTY_S0_TRIP	0
N_L1B_MDR_F	0
N_EMPTY_S0_TRIP_F	0
N_L1B_MDR_M	0


L1A Product

Echo Data Coverage maps




L1A Product

Integrated Transmitted Powers 1-4 per beam 0-5 vs. UTC_LOCALISATION




L1A Product

Integrated Reflected Powers 1-4 per beam 0-5 vs. UTC_LOCALISATION









L1A Product

Integrated Calibration Powers 1-4 per beam 0-5 vs. UTC_LOCALISATION




L1A Product

Calibration Powers vs. UTC_LOCALISATION




L1A Product

ECHO DATA (raw) for samples 30, 100, 150 and 200 vs. UTC_LOCALISATION



L1A Product

SFE & ANT Temperatures (raw) vs. UTC_LOCALISATION







L1A Product

Noise Power & Power Gain Product per beam 0-5 vs. UTC_LOCALISATION


RX Filter Shape average over sample number

Noise Power threshold exceeded (TH=900) on map




L1A Product

RX filter shape in detail for sample 30,100,150, 200 & max vs. UTC_LOCALISATION




SZO Product

Sigma0_TRIP Coverage map




SZO Product

Kp Coverage map




SZO Product

S0 - Kp Statistics




SZO Product

Kp Outliers on map




SZR Product

Sigma0_TRIP Coverage map




SZR Product

Kp Coverage map




SZR Product

S0 - Kp Statistics




SZR Product

Kp Outliers on map




SZO Flagged Data Coverage

F_KP = 1 on map



SZO Flagged Data Coverage

F_USABLE = 1 or 2 on map




SZO Flagged Data Coverage

$0 < F_OA \leq 1$ on map




SZO Flagged Data Coverage

$0 < F_{F/V} \leq 1$ on map




SZR Flagged Data Coverage

F_KP = 1 on map




SZR Flagged Data Coverage

F_USABLE = 1 or 2 on map



SZR Flagged Data Coverage

$0 < F_{OA} \leq 1$ on map



SZR Flagged Data Coverage

$0 < F_{F/V} \leq 1$ on map

$0 < F_F \leq 1$



$0 < F_V \leq 1$

