ASCAT DAILY Report

Metop-A

OPE

DAY 2013_092

20130402000000 - 20130402235959

DATA STATISTICS

```
BASED ON ORBITS (#14)

33475 33476 33477 33478 33479 33480 33481 33482 33483 33484 33485 33486 33487
33488 33489

DB STATISTICS : OPE M02_20130402

SMO 480    2.77     .52    1.61    4.46
SMR 480    3.76     .63    2.80    7.09
SZF 480     .86    2.09     .32   25.14
xxx 480   16.45    1.91   14.48   25.39


INGATE (STORE) STATISTICS : OPE M02_20130402

xxx_1A /fbf/tcdras/store/gs1/ASCA_xxx_1A_M02 -- number of files (xxx_1A) : 480
SZO_1B /fbf/tcdras/store/gs1/ASCA_SZO_1B_M02 -- number of files (SZO_1B) : 480
SZR_1B /fbf/tcdras/store/gs1/ASCA_SZR_1B_M02 -- number of files (SZR_1B) : 480
SZF_1B /fbf/tcdras/store/gs1/ASCA_SZF_1B_M02 -- number of files (SZF_1B) : 480
SMO_02 /fbf/tcdras/store/gs1/ASCA_SMO_02_M02 -- number of files (SMO_02) : 480
SMR_02 /fbf/tcdras/store/gs1/ASCA_SMR_02_M02 -- number of files (SMR_02) : 480
```

MOD/C/HB <Helmut.Bauch@eumetsat.int>

Overview

Configuration and SPHR content

Parameter	Value
SENSING START-STOP	20130402000000 - 20130402235959
ORBIT START-STOP	-
SATELLITE	M02
SW - DPU Version	3.9 (57)
SW - ICU Version	2.03 (35)
PARAM - Drive Level ID	0 (Nominal drive level as defined in the active DPU Data Set)
PARAM - DPU Data Set ID	4
PARAM - Revision ID	0
INST - Table Set ID	0 (no calibration, nominal table set used)
INST - Redundancy Config	127
	nominal ICU
	nominal DPU
	nominal RFU
	nominal HPA
	nominal SFE
	nominal SFE LNA
	nominal signal path (from HPA_B)
N_L1A_MDR	610398
N_L1A_MDR_B0	101733
N_L1A_MDR_B1	101733
N_L1A_MDR_B2	101733
N_L1A_MDR_B3	101733
N_L1A_MDR_B4	101733
N_L1A_MDR_B5	101733
N_GAPS	0
TOTAL_GAPS_SIZE	0
N_HKTM_PACKETS_RECEIVED	0
N_F_ECHO	0
N_M_ECHO	0
N_C_ECHO	0
N_I_ECHO	0
N_F_NOISE	0
N_M_NOISE	0
N_C_NOISE	0
N_I_NOISE	0
N_F_PG	0
N_V_PG	0
N_F_EXT_PG	0
N_F_FILTER	0
N_V_FILTER	0
N_F_EXT_FILTER	0
N_F_TEL_FILTER	0
N_F_ORBIT	0
N_F_ATTITUDE	0
N_F_OMEGA	0
N_F_MAN	0
N_F_DSL	0
N_F_E_TEL_PRES	0
N_F_E_TEL_IR	0
N_F_CE	0
N_V_CE	0
N_F_OA	0
N_F_TEL	0
N_F_SA	1054547
N_F_LAND	49444527

L1A Product

Echo Data Coverage maps















L1A Product

Integrated Transmitted Powers 1-4 per beam 0-5 vs. UTC_LOCALISATION



L1A Product

Integrated Reflected Powers 1-4 per beam 0-5 vs. UTC_LOCALISATION



L1A Product

Integrated Calibration Powers 1-4 per beam 0-5 vs. UTC_LOCALISATION



L1A Product

Calibration Powers vs. UTC_LOCALISATION













L1A Product

ECHO DATA (raw) for samples 30, 100, 150 and 200 vs. UTC_LOCALISATION



L1A Product

SFE & ANT Temperatures (raw) vs. UTC_LOCALISATION







L1A Product

Noise Power & Power Gain Product per beam 0-5 vs. UTC_LOCALISATION
RX Filter Shape average over sample number
Noise Power threshold exceeded (TH=900) on map









L1A Product

RX filter shape in detail for sample 30,100,150, 200 & max vs. UTC_LOCALISATION



SZO Product

Sigma0_TRIP Coverage map



SZO Product

Kp Coverage map



SZO Product

S0 - Kp Statistics

























SZO Produt

Kp Outliers on map



SZR Product

Sigma0_TRIP Coverage map



SZR Product

Kp Coverage map



SZR Product

S0 - Kp Statistics

























SZR Product

Kp Outliers on map



SZO Flagged Data Coverage

F_KP = 1 on map







SZO Flagged Data Coverage

F_USABLE = 1 or 2 on map







SZO Flagged Data Coverage

0 < F_OA <= 1 on map



SZO Flagged Data Coverage

0 < F_F/V <=1 on map



SZR Flagged Data Coverage

F_KP = 1 on map







SZR Flagged Data Coverage

F_USABLE = 1 or 2 on map







SZR Flagged Data Coverage

0 < F_OA <=1 on map



SZR Flagged Data Coverage

0 < F_F/V <=1 on map