

IASI L0 and L1 Daily Monitoring Report

IASI monitoring team

03/04/2013 00:00:00 - 04/04/2013 00:00:00

1 Introduction

This report provides summary monitoring plots and figures from IASI instrument on the MetOp-A satellite retrieved from the IASI L0 and L1 ENG product (3 minute data packet) for 03/04/2013 00:00:00 - 04/04/2013 00:00:00 .

The monitoring data are extracted on PDU basis.

Data extraction, calibration, processing and statistics are performed at EUMETSAT.

2 Data quantity 03/04/2013 00:00:00 - 04/04/2013 00:00:00

Product Type	Number	Action
L0 HKTM PDUs	481	-
L0 IASI PDUs	481	-
L1 ENG PDUs	480	-
L1 ENG distinct GEPSGranule	481	-
L1 DPX PDUs (RM: IASI-HIRS)	480	-
L1 DPS Files (RM: OBS-CAL NWP based)	480	-

Table 1: Data quantity

APID	Seq from	Seq to	Time from	Time to
PX1 (130)	4610	4612	20130403033041.326	20130403033043.271
PX1 (130)	4613	4621	20130403033043.486	20130403033045.216
PX1 (130)	4625	4632	20130403033046.080	20130403033047.595
PX1 (130)	4634	4646	20130403033048.025	20130403033052.134
PX1 (130)	4673	4682	20130403033059.486	20130403033101.431
PX2 (135)	4610	4612	20130403033041.326	20130403033043.271
PX2 (135)	4613	4621	20130403033043.486	20130403033045.216
PX2 (135)	4625	4631	20130403033046.080	20130403033047.381
PX2 (135)	4634	4646	20130403033048.025	20130403033052.134
PX2 (135)	4673	4682	20130403033059.486	20130403033101.431
PX3 (140)	4610	4612	20130403033041.326	20130403033043.271
PX3 (140)	4613	4620	20130403033043.486	20130403033044.998
PX3 (140)	4625	4631	20130403033046.080	20130403033047.381
PX3 (140)	4634	4646	20130403033048.025	20130403033052.134
PX3 (140)	4672	4682	20130403033059.271	20130403033101.431
PX4 (145)	4610	4612	20130403033041.326	20130403033043.271
PX4 (145)	4612	4620	20130403033043.271	20130403033044.998
PX4 (145)	4624	4631	20130403033045.865	20130403033047.381

Continued on next page

Table 2 – continued from previous page

APID	Seq from	Seq to	Time from	Time to
PX4 (145)	4634	4646	20130403033048.025	20130403033052.134
PX4 (145)	4672	4682	20130403033059.271	20130403033101.431
IMG (150)	13581	13584	20130403033041.107	20130403033041.974
IMG (150)	13588	13596	20130403033043.271	20130403033044.998
IMG (150)	13600	13607	20130403033045.865	20130403033047.381
IMG (150)	13610	13618	20130403033048.025	20130403033049.974
IMG (150)	13621	13625	20130403033050.838	20130403033051.920
IMG (150)	13656	13665	20130403033059.271	20130403033101.216
VER (160)	15464	15468	20130403033033.541	20130403033041.326
AUX (180)	-	-	-	-

Table 2: L0 data gaps

3 Instrument modes

Time	Transition from	Transition to
03/04/2013 00:00:09	-	Normal operation

Table 3: Instrument modes

4 L0 and L1 Data Quality

Flag	Value	Action
L0 IASI PDUs	481	-
L1 ENG PDUs	480	-
L1 ENG distinct GEPSGranule	481	-
GQisFlagQual set (PX1)	99.43 %	-
GQisFlagQual set (PX2)	99.27 %	-
GQisFlagQual set (PX3)	99.34 %	-
GQisFlagQual set (PX4)	99.44 %	-
GQisFlagQual set (all)	99.37 %	-

Table 4: Quality flags




Figure 1: L1C data quality




Figure 2: Flag of Over and Under Flows




Figure 3: Level 0 and 1C overall quality




Figure 4: Level 1C quality




Figure 5: OverUnderFlowFlag timeseries

5 Radiance monitoring based on NWP

The radiance monitoring compares the IASI measurements (L1C-eps-products) obtained under clear sky situation over sea with modeled radiances. Cloud identification is based on cloud flag of co-located AVHRR L1B data in addition to information from the IASI L1C clustering analysis here only homogenous situations are taken into account (99.0 percent in first class). A radiative transfer model (RTM) is feed with co-located ECMWF profiles of T,WV, and Ozon. Between March 2007 and the 18th of May 2010 RTIASI in Version 4.0 is used. After that date the RTTOV model in V9.3 is used. Information about the SST is obtained from the AVHRR L1B or taken from AVHRR scenes analysis (CGS only). In the following figures 10 to 16 the so-called radiance anomaly is shown. The radiance anomaly is defined as the difference between the quarter daily radiance average OBS-CAL (over all pixel and scan position 10 to 20) and the average bias OBS-CAL (over all pixel and scan position 10 to 20) of the last 30 days.




Figure 6: Average Radiance differences: OBS-CAL




Figure 7: Standard Deviation of Radiance differences




Figure 8: Average Radiance differences: OBS-CAL




Figure 9: Standard Deviation of Radiance differences




Figure 10: Radiance Anomaly in BRT: All Channels




Figure 11: Radiance Anomaly in BRT: IASI Band 1




Figure 12: Radiance Anomaly in BRT: IASI Band 2




Figure 13: Radiance Anomaly in BRT: IASI Band 3




Figure 14: Radiance Anomaly in BRT: CO2 14




Figure 15: Radiance Anomaly in BRT: CO2 4.3




Figure 16: Radiance Anomaly in BRT: O3

6 IASI-HIRS radiance comparison Channel 1-19

The radiance comparison of IASI and HIRS/4 on-board MetOp is performed on all pixel with distances smaller than 3 km between IASI and HIRS. All sky conditions are covered. The radiance differences IASI - HIRS are given in brightness temperatures at 280K reference temperature. All conditions (clear, cloudy, day and night) are given in red in the following figures. The clear sky conditions at night are given in green and the clear sky cases during daylight are displayed in blue.




Figure 17: Radiance Differences in BRT




Figure 18: Radiance Differences in BRT




Figure 19: Radiance Differences in BRT




Figure 20: Radiance Differences in BRT




Figure 21: Radinace Differences in BRT